



# BUILDING & CONSTRUCTION INSULATION TAPES



**Strong, Rugged, and Durable**  
**High Performance Adhesives**  
**Designed for Wide Temperature Ranges**

# BUILDING & CONSTRUCTION INSULATION TAPES

**Contractors, builders and construction professionals only have one hard and fast rule: Get the job done right the first time.** Which is why ECHOTape's insulation tapes exceed the highest standards for reliability, precision and superior results. So, no matter the task at-hand, you can leave your mark of excellence at every job site.

Using a breakthrough technology, our exclusively formulated, high performance acrylic Insulation Tape series is engineered to meet the rigid requirements of contractors and builders working with mechanical insulation and metal building insulation. Whether you're working in extreme weather conditions or simply need a maximum-strength tape, our performance tapes combine exceptionally high shear strength with both high tack and cold stick properties, ensuring a secure, weathertight seal in virtually any environmental condition.

**When the quality of work relies on the ability to produce an airtight, weather proof bond, you can count on ECHOTape to be reliable, roll after roll.**

	PRODUCT/APPLICATION	SIZE	ADHESION TO STEEL	THICKNESS	SERVICE TEMPERATURE	FEATURES
DC-M155A	<b>ALL WEATHER DOUBLE COATED POLYESTER TAPE</b> Use for lap seals on laminated insulation, reflective insulation and mechanical insulation	1.5 in x 60 yd   36mm x 55m 1.5 in x 180 yd   36mm x 165m 1.5 in x 360 yd   36mm x 330m	40 oz./in	3.6 mil	-40F to 176F   -40C to 80C	 -4°F -20°C
DC-R129A	<b>ALL WEATHER DOUBLE COATED TRANSFER TAPE</b> Use for lap seals on laminated insulation, reflective insulation and mechanical insulation	1.5 in x 60 yd   36mm x 55m 2 in x 60 yd   48mm x 55m	90 oz./in	4 mil	-40F to 176F   -40C to 80C	 -4°F -20°C
FO-V2348	<b>SINGLE SIDED THERMAL BREAK TAPE</b> Use to seal gaps and improve thermal efficiency	1/8" x 3" x 75'	20 oz./in	1/8"	-20F to 130F   -29C to 54C	
FO-V2344	<b>SINGLE SIDED THERMAL BREAK TAPE</b> Use to seal gaps and improve thermal efficiency	1/4" x 3" x 75'	20 oz./in	1/4"	-20F to 130F   -29C to 54C	
FS-G7731	<b>ALL WEATHER WMP-VR FACING TAPE</b> Use as a vapor seal for Lamtec® WMP-VR faced insulation Colors: white or black	3 in x 50 yd   72mm x 45m	40 oz./in	8.5 mil	-40F to 176F   -40C to 80C	  -4°F -20°C
FS-G7732	<b>ALL WEATHER WMP-VR-R PLUS FACING TAPE</b> Use as a vapor seal for Lamtec® WMP-VR-R Plus faced insulation Colors: white or black	3 in x 50 yd   72mm x 45m	40 oz./in	8.5 mil	-40F to 176F   -40C to 80C	  -4°F -20°C

Symbols Key:  Mold Resistant  Cold Weather Application Temperatures  UL Classified

	PRODUCT/APPLICATION	SIZE	ADHESION TO STEEL	THICKNESS	SERVICE TEMPERATURE	FEATURES
FS-G7735	<b>ALL WEATHER WMP-10 FACING TAPE</b> Use as a vapor seal for Lamtec® WMP-10 faced insulation Colors: white or black	3 in x 50 yd   72mm x 45m	40 oz./in	8.5 mil	-40F to 176F   -40C to 80C	 
FS-G7739	<b>ALL WEATHER EHP-VR-R PLUS FACING TAPE</b> Use as a vapor seal for EHP-VR-R Plus faced insulation	3 in x 50 yd   72mm x 45m	40 oz./in	8.5 mil	-40F to 176F   -40C to 80C	 
FS-G7747	<b>ALL WEATHER ALPHA-VR-R PLUS FACING TAPE</b> Use as a vapor seal for ALPHA-VR-R Plus faced insulation	3 in x 50 yd   72mm x 45m	40 oz./in	8.5 mil	-40F to 176F   -40C to 80C	 
FS-J7743	<b>ALL WEATHER ASJ FACING TAP</b> Use as a vapor seal for all service jacketing [ASJ] faced duct board and pipe insulation	3 in x 50 yd   72mm x 45m	60 oz./in	6.8 mil	-20F to 176F   -29C to 80C	  
FS-K7751	<b>ALL WEATHER FSK FACING TAPE</b> Use as a vapor seal for FSK jacketed insulation products	2 in x 50 yd   48mm x 45m 3 in x 50 yd   72mm x 45m 4 in x 50 yd   96mm x 45m 5 in x 50 yd   120mm x 45m	60 oz./in	6.8 mil	-20F to 176F   -29C to 80C	  
MT-A7717	<b>ALL WEATHER ALUMINUM FOIL TAPE</b> Use as a vapor seal for foil faced insulation Use to join and seal flexible air duct seams	2 in x 50 yd   48mm x 45m 2.5 in x 50 yd   60mm x 45m 3 in x 50 yd   72mm x 45m	60 oz./in	3.2 mil	-31F to 248F   -35C to 120C	  
MT-A7727	<b>ALL WEATHER ALUMINUM FOIL TAPE</b> Use as a vapor seal for foil faced insulation Use to join and seal flexible air duct seams	2 in x 50 yd   48mm x 45m 3 in x 50 yd   72mm x 45m	60 oz./in	3.6 mil	-31F to 248F   -35C to 120C	  
MT-A7729	<b>ALL WEATHER WHITE ALUMINUM FOIL TAPE</b> Use as a vapor seal for Dow Thermax™ foil faced board	3 in x 50 yd   72mm x 45m	60 oz./in	3.6 mil	-31F to 248F   -35C to 120C	  
VI-V6460	<b>EMBOSSED VINYL SEAMING TAPE</b> Use as a vapor seal for white vinyl faced insulation	3 in x 50 yd   72mm x 45m	60 oz./in	5 mil	-40F to 190F   -40C to 80C	



# BUILDING & CONSTRUCTION INSULATION TAPES



Need Help?

Let's Talk Tape



ECHOtape USA  
5645 Daniels Street  
Chino, CA 91710-9015

ECHOtape Canada  
9001 Avon, Suite #100  
Montreal, QC H4X 2G8

**800-461-8273**  
[www.echotape.com](http://www.echotape.com)