



Product Guide



Enhance your Experience...



... with Intec's Productivity Tools



Its small size and pleasing aesthetics disguise this all-fiber workhorse's aggressive output. With cellulose production rates over 1700 lbs per hour and fiberglass production rates over 475 lbs per hour, the Wasp insulates an average attic in less than one hour. Portability is made easy with built in handles and wheels. Dense Pack of both cellulose and fiberglass is made possible thru its Department Of Energy approved outlet pressure of 3.5psi, slide gate, and variable speed control. With applications varying from attic installs, dense pack, spray-in, and spray-on, both DIY'ers and contractors will obtain high payback when using this highly reliable insulation blowing machine.

Part Number	Description
0500-0700-00	Wasp w/accessories

* Available for export

FORCE/2

Since its introduction 25 years ago, this reliable system continues to provide users multiple profit generating opportunities. With cellulose production rates over 2000 lbs per hour and fiberglass production rates over 428 lbs per hour, the FORCE/2 insulates an average attic in less than one hour. Dense Pack of both cellulose and fiberglass is made possible thru its Department Of Energy approved outlet pressure of 3.3psi, slide gate, and variable speed control. Applications vary from attic installs, dense pack, spray-in, and spray-on. Choose the *GoWireless* option and further increase your productivity.



Part Number	Description
K20000	FORCE/2 3.0 w/accessories
K20000-02	FORCE/2 3.0 FGP w/ accessories
K20000-03	FORCE/2 4.0 w/accessories
K20006	FORCE/2 4.0 FGP w/accessories
K20011	FORCE/2 3.0 Wireless w/accessories
K20019	FORCE/2 3.0 FGP Wireless w/accessories
K20013	FORCE/2 4.0 Wireless w/accessories
K20014	FORCE/2 4.0 Wireless FGP w/accessories

FGP= Fiberglass package

* Available for export

FORCE/3



Our highest volume portable system, the FORCE/3 provides install times competitive with large truck mounted units. With cellulose production rates over 2500 lbs per hour and fiberglass production rates up to 1300 lbs per hour, this unit is used by contractors performing retrofit and new construction installs. Many profit generating opportunities are available as applications vary from attic installs, dense pack, spray-in, and spray-on.

Part Number	Description
K30000	FORCE/3 3.0 w/ accessories
K30000-02	FORCE/3 3.0 FGP w/accessories
K30001	FORCE/3 4.0 w/accessories
K30001-02	FORCE/3 4.0 FGP w/accessories



Call us Toll Free
1-800-666-1611

or

Visit us on the Web
www.inteccorp.com



FiberForce -- our newest system -- provides fiberglass output of approximately 400 lbs per hour and weighs 142 lbs. The ultimate in portability, this polyethylene constructed unit is comprised of two pieces. The removable hopper has a hinged loading tray to simplify product loading while minimizing aisle and transportation space requirements. The base has numerous handles and 10" wheels allowing ease of mobility. In addition, the wireless remote -- attached to hose -- allows for operation from the attic without the requirement of taking a cord with you.

Part Number	Description
50002-00	FiberForce w/accessories (For use with fiberglass only!)

* Available for export

FORCE/1

Our FORCE/1 package processes over 540 lbs of cellulose or 187 lbs of fiberglass per hour and weighs 177 lbs. The durability of this unit is enhanced with urethane seals, a direct drive transmission, and polyethylene construction which resists dents & dings, allowing for an attractive system appearance over years of use. This system provides ease of transportation to the job site in addition to timely installation of attic insulation -- either cellulose or fiberglass -- at 2 hours for R-19 in 1500 square foot attic.

Part Number	Description
K10000	FORCE/1 w/accessories
K10000-02	FORCE/1 FGP w/accessories



Our highly portable Cyclone processes over 800 lbs of cellulose or 200 lbs of fiberglass per hour while weighing only 142 lbs with our recently enhanced aluminum airlock. This system provides ease of transportation to the job site, in addition to quick installation of attic insulation.

Part Number	Description
K81018	Cyclone w/accessories

* Available for export

Nothing Else Works As Well

Nothing Else Works As Reliably

Nothing Else Works As Long

Dense Pack Hose Kit-Single Reducer



Part Number	Description	Quantity Required
K26200	Dense Pack Hose Kit - Single Reducer	1
22049-06	Hose Insert Tube (3" to 2")	1
22049	2" Mark II Hose 50'	2
22049-05	2" Hose Clamp	4
22049-07	2" Steel Hose Connector	1
22049-02	2" to 1" Wall Nozzle	1
22049-14	1-1/4" x 10' Wall Tubing	1

Dense Pack Hose Kit-Multi Reducer



Part Number	Description	Quantity Required
K26203	Dense Pack Hose Kit - Multi Reducer	1
22059	3" to 2-1/2" Tapered Swivel Reducer	1
22050-05	2-1/2" x 25'Hose	1
22058	2-1/2" to 2" Tapered Swivel Reducer	1
22049-13	2" x 25' Hose	1
22051-03	3" Hose Clamp	1
22050-04	2-1/2" Hose Clamp	2
22049-05	2" Hose Clamp	2
22049-02	2" to 1" Wall Nozzle	1
22049-14	1-1/4" x 10' Wall Tubing	1

Hose & Clamps



Part Number	Description
22049	2" MARK II Clear Hose X 50'
22050	2-1/2" MARK II Blue Hose X 50'
22051	3" MARK II Clear Hose X 50'
22052	3-1/2" MARK II Clear Hose X 50'
42063	4" MARK II Hose X 50'
J52050	6" MARK RF Hose X 50'



Part Number	Description
22049-14	1-1/4" x 10' Wall Tubing



Part Number	Description
22051-03	3" Hose Clamp
22050-04	2-1/2" Hose Clamp
22049-05	2" Hose Clamp

Hose Connectors, Reducers



Part Number	Description
22049-06	Hose insert tube 3" x 2"



Part Number	Description
42064	4" to 3" Reducer
42066	3-1/2" to 3" Reducer
22051-02	3" to 2-1/2" Reducer
22050-03	2-1/2" to 2" Reducer
22051-01	3" Connector
22050-01	2-1/2" Connector
22049-07	2" Connector

Hose Swivels



Simplify Spray Applications - reduce hose twist & operator fatigue by installing an Intec swivel 15' to 20' from hose discharge or intake.

Part Number	Description
J52046	2" Hose Swivel
J52049	2-1/2" Hose Swivel
J52053	3" Hose Swivel
J52058	4" Hose Swivel
J52054	6" Hose Swivel

Call us Toll Free
1-800-666-1611

or

Visit us on the Web
www.inteccorp.com

Tapered Swivel Reducers



Part Number	Description
22060	2" to 1" Tapered Swivel Reducer
22058	2-1/2" to 2" Tapered Swivel Reducer
22059	3" to 2-1/2" Tapered Swivel Reducer

Wall Nozzles



Part Number	Description
22049-02	Hose Sidewall Nozzle 2" x 1"
22049-03	Hose Sidewall Nozzle 2" x 1.5"



Part Number	Description
22050-02	Sidewall Swivel Nozzle 2-1/2"
22049-04	Sidewall Swivel Nozzle 2"

Wet Spray Pump & Accessories



Part Number	Description
K1000	Combatt Pump Complete (Includes: Pump, HP hose, Intake & return hoses, clamps & filter.)
1000	Combatt 32 Pump Only



Part Number	Description
1000-13-S	3/8" x 100' High Pressure Hose with connectors
1000-05	3/4" x 5' Intake Hose
1000-10	5/8" x 5' Return Hose
F157	7/8" Hose Clamp (#6)

Wet Spray Nozzles



Part Number	Description
K3004	2" Combatt Nozzle Adj.
K3005	2-1/2" Combatt Nozzle Adj.



Part Number	Description
K3200	2" Optispray Nozzle



Part Number	Description
K3000	2" Combatt Nozzle
K3001	2-1/2" Combatt Nozzle
K3002	3" Combatt Nozzle



Part Number	Description
K3202	Hydromulch Nozzle

Wet Spray Nozzle Tips



Part Number	Description
3150	Nozzle Quick Jet Tip Body
3150-01	Nozzle Quick Jet Tip Brass 2501
3150-015	Nozzle Quick Jet Tip Brass 25015
3150-02	Nozzle Quick Jet Tip Brass 2502
3150-03	Nozzle Quick Jet Tip Brass 2503
3150-04	Nozzle Quick Jet Tip Brass 2504
3150-06	Nozzle Tip 1/8-2502
3153	Nozzle Quick Jet Tip Body 2004
3210-01	Nozzle Optispray Tip 2501
3210-015	Nozzle Optispray Tip 25015
3210-02	Nozzle Optispray Tip 2502
3210-020C	Nozzle Optispray Tip 2502
3210-03	Nozzle Optispray Tip 2503
3210-04	Nozzle Optispray Tip
3210-05	Nozzle Optispray Tip 4010
K3225	Noz Optispray & Cap 2501
K3226	Noz Optispray & Cap 25015
K3227	Noz Optispray & Cap 2502
K3228	Noz Optispray & Cap 2503

Intec also offers replacement parts for our full line of insulation equipment, loosefill installation training, and full-time technical support.

Nothing Else Works As Well

Nothing Else Works As Reliably


Nothing Else Works As Long

Airlock Seals

Our urethane seals last up to 3X industry average lifespan. Blower pressure is a direct result of the quality of your system's airlock seals. Maintain higher levels of peak performance while reducing the occurrences to replace your airlock seals.

FORCE/1

Part Number	Description	Quantity Required
12023-1	FORCE/1 Airlock Seal	6



FORCE/2




Part Number	Description	Quantity Required
22013	FORCE/2 Airlock Seal	6
22013	Wasp Airlock Seal	6



FORCE/3

Part Number	Description	Quantity Required
32013	FORCE/3 Airlock Seal	6



Part Number	Description	Quantity Required
50224-00	FiberForce Airlock Seal	6



Part Number	Description	Quantity Required
9218	Cyclone Airlock Seal <i>(material: rubber belting)</i>	6



Call us Toll Free
1-800-666-1611

or

Visit us on the Web
www.inteccorp.com

Generators



GILLETTE GENERATORS

Part Number	Description	Max Watts	Intec Machine
4012	5000-EH, Electric	5000	FORCE/1
4000	GPN-90E, Electric	9000	FORCE/2
4007	GPN-105E, Electric	10500	FORCE/3
4012	5000-EH, Electric	5000	Cyclone
4000	GPN-90E, Electric	9000	Wasp
4012	5000-EH, Electric	5000	FiberForce

Insulation removal vacuum



Meyer insulation removal vacuums are the ideal choice for contractors seeking fast, profitable removal of fire, smoke and water damaged insulation from attics, sidewalls and crawl spaces.

With these high performance units on the job, you'll handle bulky materials with ease. Blown-in insulation and plaster chips – wet or dry - are removed quickly and efficiently. Material intended for recycling can be conveyed directly to your spraying machine for reuse. Waste material can be discharged directly into 75 cubic foot disposable collection bags.

Part Number	Description
J52001	Versa Vac 15 HP

Machine Accessories



Item Number	Part Number	Description
1	21200	FORCE/2 Wireless Upgrade Kit
2	22025-04	FORCE/2 Light Density Agitator
3	12025-07	FORCE/1 Fiberglass Agitator
4	22048-00	Pressure Gauge
5	12380	Hose Bag, Mesh Blue
6	J59340-S	Oriface Tube Tester 1"

Nothing Else Works As Well

Nothing Else Works As Reliably

Nothing Else Works As Long

About Intec

Founded in 1977, Intec has grown to become the recognized leader in the insulation blowing equipment industry. We provide a full line of installation equipment and accessories to help you, or your customer, get the job done in an efficient and professional manner, and deliver meaningful profit opportunities.

At Intec, we are dedicated to providing the most efficient solutions and best overall value to our customers through:

- User friendly, quality equipment,
- On site technical service,
- Experienced, knowledgeable, and courteous Customer Service Team, and
- Design, engineering, and development team to solve your unique needs.

Values

- We value integrity, honesty, and personal excellence.
- We have a passion to develop the right solution, and utilize the latest technologies, to meet the customers' needs.
- We take on big challenges, and pride ourselves in seeing them through.
- We hold ourselves accountable to our customers, partners, and employees by honoring our commitments and striving for the highest quality.

Intec equipment is offered through partnerships with Distributors and an extensive Dealer Network including independent building materials dealers, insulation manufacturers, mass merchandisers, and national co-ops. When you need dependable equipment that can be relied on to increase your efficiencies and profit generating capabilities ... trust Intec.



**3771 Monarch Street
Frederick, CO 80530 USA**

**Telephone: (303) 833-6644
Toll Free: (800) 666-1611
Fax: (303) 833-6650
www.inteccorp.com**