

Product Guide



Enhance your Experience...



... with Intec's Productivity Tools

ALL-FIBER INSULATION BLOWING SYSTEMS





Its small size and pleasing aesthetics disguise this all-fiber workhorse's aggressive output. With cellulose production rates over 1700 lbs per hour and fiberglass production rates over 475 lbs per hour, the Wasp insulates an average attic in less than one hour. Portability is made easy with built in handles and wheels. Dense Pack of both cellulose and fiberglass is made possible thru its Department Of Energy approved outlet pressure of 3.5psi, slide gate, and variable speed control. With applications varying from attic installs, dense pack, spray-in, and spray-on, both DIY'ers and contractors will obtain high payback when using this highly reliable insulation blowing machine.

Part Number Description

0500-0700-00 Wasp w/accessories

* Available for export



Since its introduction 25 years ago, this reliable system continues to provide users multiple profit generating opportunities. With cellulose production rates over 2000 lbs per hour and fiberglass production rates over 428 lbs per hour, the FORCE/2 insulates an average attic in less than one hour. Dense Pack of both cellulose and fiberglass is made possible thru its Department Of Energy approved outlet pressure of 3.3psi, slide gate, and variable speed control. Applications vary from attic installs, dense pack, spray-in, and spray-on. Choose the *GoWireless* option and further increase your productivity.

| Part Number |
|-------------|
| K20000 |
| K20000-02 |
| K20000-03 |
| K20006 |
| K20011 |
| K20019 |
| K20013 |

K20014

FGP= Fiberglass package
* Available for export

Description

FORCE/2 3.0 w/accessories
FORCE/2 3.0 FGP w/ accessories
FORCE/2 4.0 w/accessories
FORCE/2 4.0 FGP w/accessories
FORCE/2 3.0 Wireless w/accessories
FORCE/2 3.0 FGP Wireless w/accessories
FORCE/2 4.0 Wireless w/accessories
FORCE/2 4.0 Wireless FGP w/accessories








Our highest volume portable system, the FORCE/3 provides install times competitive with large truck mounted units. With cellulose production rates over 2500 lbs per hour and fiberglass production rates up to 1300 lbs per hour, this unit is used by contractors performing retrofit and new construction installs. Many profit generating opportunities are available as applications vary from attic installs, dense pack, spray-in, and spray-on.

or

| art Number | Description |
|------------|-------------------------------|
| K30000 | FORCE/3 3.0 w/ accessories |
| K30000-02 | FORCE/3 3.0 FGP w/accessories |
| K30001 | FORCE/3 4.0 w/accessories |
| K30001-02 | FORCE/3 4.0 FGP w/accessories |





ALL-FIBER INSULATION BLOWING SYSTEMS





FiberForce -- our newest system -- provides fiberglass output of approximately 400 lbs per hour and weighs 142 lbs. The ultimate in portability, this polyethylene constructed unit is comprised of two pieces. The removable hopper has a hinged loading tray to simplify product loading while minimizing aisle and transportation space requirements. The base has numerous handles and 10" wheels allowing ease of mobility. In addition, the wireless remote – attached to hose -- allows for operation from the attic without the requirement of taking a cord with you.

Part Number

Description

50002-00

FiberForce w/accessories (For use with fiberglass only!)

FORCE 1

Our FORCE/1 package processes over 540 lbs of cellulose or 187 lbs of fiberglass per hour and weighs 177 lbs. The durability of this unit is enhanced with urethane seals, a direct drive transmission, and polyethylene construction which resists dents & dings, allowing for an attractive system appearance over years of use. This system provides ease of transportation to the job site in addition to timely installation of attic insulation – either cellulose or fiberglass -- at 2 hours for R-19 in 1500 square foot attic.

Part Number K10000 K10000-02 Description

FORCE/1 w/accessories FORCE/1 FGP w/accessories







Our highly portable Cyclone processes over 800 lbs of cellulose or 200 lbs of fiberglass per hour while weighing only 142 lbs with our recently enhanced aluminum airlock. This system provides ease of transportation to the job site, in addition to quick installation of attic insulation.

Part Number K81018 Description

Cyclone w/accessories

^{*} Available for export

^{*} Available for export

Dense Pack Hose Kit-Single Reducer



| Part Number | Description | Quantity Required |
|----------------|--------------------------------------|----------------------|
| K26200 | Dense Pack Hose Kit - Single Reducer | 1 |
| 22049-06 | Hose Insert Tube (3" to 2") | 1 |
| 22049 | 2" Mark II Hose 50' | 2 |
| 22049-05 | 2" Hose Clamp | 4 |
| 22049-07 | 2" Steel Hose Connector | 1 |
| 22049-02 | 2" to 1" Wall Nozzle | 1 |
| 22049-14 | 1-1/4" x 10' Wall Tubing | 1 |

Dense Pack Hose Kit-Multi Reducer



| | 200 | |
|----------|-------------------------------------|----------|
| Part | Description | Quantity |
| Number | | Required |
| K26203 | Dense Pack Hose Kit - Multi Reducer | 1 |
| 22059 | 3" to 2-1/2" Tapered Swivel Reducer | 1 |
| 22050-05 | 2-1/2" x 25'Hose | 1 |
| 22058 | 2-1/2" to 2" Tapered Swivel Reducer | 1 |
| 22049-13 | 2" x 25' Hose | 1 |
| 22051-03 | 3" Hose Clamp | 1 |
| 22050-04 | 2-1/2" Hose Clamp | 2 |
| 22049-05 | 2" Hose Clamp | 2 |
| 22049-02 | 2" to 1" Wall Nozzle | 1 |
| 22049-14 | 1-1/4" x 10' Wall Tubing | 1 |

Hose & Clamps



| Part | Description |
|--------|--------------------------------|
| Number | |
| 22049 | 2" MARK II Clear Hose X 50' |
| 22050 | 2-1/2" MARK II Blue Hose X 50' |
| 22051 | 3" MARK II Clear Hose X 50' |
| 22052 | 3-1/2" MARK II Clear Hose X 50 |
| 42063 | 4" MARK II Hose X 50' |
| J52050 | 6" MARK RF Hose X 50' |



| Part | Description |
|----------|--------------------------|
| Number | |
| 22049-14 | 1-1/4" x 10' Wall Tubing |



| Description |
|-------------------|
| |
| 3" Hose Clamp |
| 2-1/2" Hose Clamp |
| 2" Hose Clamp |
| |

Hose Connectors, Reducers



Part Description Number 22049-06 Hose insert tube 3" x 2"



| Part | Description |
|----------|----------------------|
| Number | |
| 42064 | 4" to 3" Reducer |
| 42066 | 3-1/2" to 3" Reducer |
| 22051-02 | 3" to 2-1/2" Reducer |
| 22050-03 | 2-1/2" to 2" Reducer |
| 22051-01 | 3" Connector |
| 22050-01 | 2-1/2" Connector |
| 2049-07 | 2" Connector |

Hose Swivels



Simplify Spray Applications - reduce hose twist & operator fatigue by installing an Intec swivel 15' to 20' from hose discharge or intake.

| Part | Description |
|--------|--------------------|
| Number | |
| J52046 | 2" Hose Swivel |
| J52049 | 2-1/2" Hose Swivel |
| J52053 | 3" Hose Swivel |
| J52058 | 4" Hose Swivel |
| J52054 | 6" Hose Swivel |

Tapered Swivel Reducers



| Part | Description |
|--------|----------------------|
| Number | |
| 22060 | 2" to 1" Tapered |
| | Swivel Reducer |
| 22058 | 2-1/2" to 2" Tapered |
| | Swivel Reducer |
| 22059 | 3" to 2-1/2" Tapered |
| | Swivel Reducer |

Wall Nozzles



| Part | Description |
|----------|--------------------------------|
| Number | |
| 22049-02 | Hose Sidewall Nozzle 2" x 1" |
| 22049-03 | Hose Sidewall Nozzle 2" x 1.5" |



Part Description Number 22050-02 Sidewall Swivel Nozzle 2-1/2" 22049-04 Sidewall Swivel Nozzle 2"

Wet Spray Pump & Accessories



| Part | Description |
|--------|---|
| Number | • |
| K1000 | Combatt Pump Complete (Includes: Pump, HP hose, Intake & |
| | return hoses, clamps & filter.) |
| | |



| Part Number | Description |
|----------------|---------------------------|
| 1000-13-S | 3/8" x 100' High Pressure |
| | Hose with connectors |
| 1000-05 | 3/4" x 5' Intake Hose |
| 1000-10 | 5/8" x 5' Return Hose |
| F157 | 7/8" Hose Clamp (#6) |
| | |

Wet Spray Nozzle Tips



| Part | Description | |
|-----------|----------------------------------|--|
| Number | | |
| 3150 | Nozzle Quick Jet Tip Body | |
| 3150-01 | Nozzle Quick Jet Tip Brass 2501 | |
| 3150-015 | Nozzle Quick Jet Tip Brass 25015 | |
| 3150-02 | Nozzle Quick Jet Tip Brass 2502 | |
| 3150-03 | Nozzle Quick Jet Tip Brass 2503 | |
| 3150-04 | Nozzle Quick Jet Tip Brass 2504 | |
| 3150-06 | Nozzle Tip 1/8-2502 | |
| 3153 | Nozzle Quick Jet Tip Body 2004 | |
| 3210-01 | Nozzle Optispray Tip 2501 | |
| 3210-015 | Nozzle Optispray Tip 25015 | |
| 3210-02 | Nozzle Optispray Tip 2502 | |
| 3210-020C | Nozzle Optispray Tip 2502 | |
| 3210-03 | Nozzle Optispray Tip 2503 | |
| 3210-04 | Nozzle Optispray Tip | |
| 3210-05 | Nozzle Optispray Tip 4010 | |
| K3225 | Noz Optispray & Cap 2501 | |
| K3226 | Noz Optispray & Cap 25015 | |
| K3227 | Noz Optispray & Cap 2502 | |
| K3228 | Noz Optispray & Cap 2503 | |

Wet Spray Nozzles

Combatt 32 Pump Only

1000



Part Description Number K3004 2" Combatt Nozzle Adj. K3005 2-1/2" Combatt Nozzle Adj.



Part Description Number K3200 2" Optispray Nozzle



Part Number K3202 Hydromulch Nozzle

Intec also offers replacement parts for our full line of insulation equipment, loosefill installation Description training, and full-time technical support.



2" Combatt Nozzle K3000 K3001 2-1/2" Combatt Nozzle K3002 3" Combatt Nozzle

Nothing Else Works As Well

Airlock Seals

Our urethane seals last up to 3X industry average lifespan. Blower pressure is a direct result of the quality of your system's airlock seals. Maintain higher levels of peak performance while reducing the occurrences to replace your airlock seals.

FORCE/1

Part Number 12023-1

Description FORCE/1 Airlock Seal Quantity Required







Part Number 22013 22013

Description FORCE/2 Airlock Seal Wasp Airlock Seal

Quantity Required 6





Part Number 32013

Description FORCE/3 Airlock Seal Quantity Required





Part Number 50224-00

Description FiberForce Airlock Seal

Quantity Required



CYCLNE

Part Number 9218

Description Cyclone Airlock Seal

(material:rubber belting)

Quantity

or

Required



Call us Toll Free 1-800-666-1611

Visit us on the Web www.inteccorp.com

Generators





| Part Number | Description | Max Watts | Intec Machine |
|----------------|--------------------|-----------|---------------|
| 4012 | 5000-EH, Electric | 5000 | FORCE/1 |
| 4000 | GPN-90E, Electric | 9000 | FORCE/2 |
| 4007 | GPN-105E, Electric | 10500 | FORCE/3 |
| 4012 | 5000-EH, Electric | 5000 | Cyclone |
| 4000 | GPN-90E, Electric | 9000 | Wasp |
| 4012 | 5000-EH, Electric | 5000 | FiberForce |
| | | | |

Insulation removal vacuum





Meyer insulation removal vacuums are the ideal choice for contractors seeking fast, profitable removal of fire, smoke and water damaged insulation from attics, sidewalls and crawl spaces.

With these high performance units on the job, you'll handle bulky materials with ease. Blown-in insulation and plaster chips – wet or dry - are removed quickly and efficiently. Material intended for recycling can be conveyed directly to your spraying machine for reuse. Waste material can be discharged directly into 75 cubic foot disposable collection bags.

| Part | Description |
|--------|----------------|
| Number | |
| J52001 | Versa Vac 15 H |

Machine Accessories













| Item | Part | Description |
|--------|----------|-------------------------------|
| Number | Number | |
| 1 | 21200 | FORCE/2 Wireless Upgrade Kit |
| 2 | 22025-04 | FORCE/2 Light Density Agitato |
| 3 | 12025-07 | FORCE/1 Fiberglass Agitator |
| 4 | 22048-00 | Pressure Gauge |
| 5 | 12380 | Hose Bag, Mesh Blue |
| 6 | J59340-S | Oriface Tube Tester 1" |
| | | |

Nothing Else Works As Well

About Intec

Founded in 1977, Intec has grown to become the recognized leader in the insulation blowing equipment industry. We provide a full line of installation equipment and accessories to help you, or your customer, get the job done in an efficient and professional manner, and deliver meaningful profit opportunities.

At Intec, we are dedicated to providing the most efficient solutions and best overall value to our customers through:

- User friendly, quality equipment,
- On site technical service,
- Experienced, knowledgeable, and courteous Customer Service Team, and
- Design, engineering, and development team to solve your unique needs.

Values

- We value integrity, honesty, and personal excellence.
- We have a passion to develop the right solution, and utilize the latest technologies, to meet the customers' needs.
- We take on big challenges, and pride ourselves in seeing them through.
- We hold ourselves accountable to our customers, partners, and employees by honoring our commitments and striving for the highest quality.

Intec equipment is offered through partnerships with Distributors and an extensive Dealer Network including independent building materials dealers, insulation manufacturers, mass merchandisers, and national co-ops. When you need dependable equipment that can be relied on to increase your efficiencies and profit generating capabilities ... trust Intec.



3771 Monarch Street Frederick, CO 80530 USA

Telephone: (303) 833-6644 Toll Free: (800) 666-1611 Fax: (303) 833-6650 www.inteccorp.com