

	J	M Corbond® Side A		
Version 1.1		Revision Date 03/04/2015	Print Date 03/13/2015	
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Trade name	:	JM Corbond® III Side A, JM Corbond® Corbond® oc SPF Side A, JM Corbond	'	
Manufacturer or supplier's de	etails	3		
Company Address	:	Johns Manville P.O. Box 5108 Denver, CO USA 80127		
Telephone Emergency telephone number	:	303-978-2000 8:00AM-5:00PM M-F 1-800-424-9300 (Chemtrec, in English)	i	
Prepared by	:	productsafety@jm.com		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Acute toxicity (Inhalation)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Respiratory sensitisation	: Category 1
Skin sensitisation	: Category 1
Carcinogenicity	: Category 2
GHS Label element Hazard pictograms	
Signal word	: Danger
Hazard statements	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer.
Precautionary statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.



	JM Corbond® Side A	
Version 1.1	Revision Date 03/04/2015	Print Date 03/13/2015
	 P271 Use only outdoors or in a wee P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ eye Response: P302 + P352 IF ON SKIN: Wash of P304 + P340 IF INHALED: Remove at rest in a position comfortable for P305 + P351 + P338 IF IN EYES: for several minutes. Remove content to do. Continue rinsing. P308 + P313 IF exposed or concent attention. P321 Specific treatment (see supp on this label). P333 + P313 If skin irritation or ratattention. P337 + P313 If eye irritation persist attention. P362 Take off contaminated cloth Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ contain disposal plant. 	should not be allowed out of protection/ face protection. with plenty of soap and water. ve victim to fresh air and keep or breathing. Rinse cautiously with water act lenses, if present and easy erned: Get medical advice/ olemental first aid instructions sh occurs: Get medical advice/ sts: Get medical advice/ ing and wash before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 50 - < 70
Diphenylmethanediisocyanate	9016-87-9	>= 50 - < 70

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Call a physician or poison control centre immediately. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	: Remove contact lenses. Immediately flush eye(s) with plenty of water. Protect unharmed eye.



	JM Corbond® Side A	
Version 1.1	Revision Date 03/04/2015	Print Date 03/13/2015
	Keep eye wide open while rinsing If eye irritation persists, consult a	
If swallowed	: Induce vomiting immediately and Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physici Take victim immediately to hospita	an unconscious person. an.

SECTION 5. FIREFIGHTING MEASURES

Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	:
Further information	: Standard procedure for chemical fires.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 	n
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. 	

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid formation of aerosol.
	Do not breathe vapours/dust.
	Avoid exposure - obtain special instructions before use.
	Avoid contact with skin and eyes.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the application area.
	Provide sufficient air exchange and/or exhaust in work rooms.
	Dispose of rinse water in accordance with local and national regulations.
	-



JM Corbond® Side A				
Version 1.1	Revision Date 03/04/2015	Print Date 03/13/2015		
	Persons susceptible to skin sens allergies, chronic or recurrent res be employed in any process in w used.	piratory disease should not		
Conditions for safe storage	 Keep container tightly closed in a place. Observe label precautions. Electrical installations / working n the technological safety standard 	naterials must comply with		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		С	0.02 ppm 0.2 mg/m3	NIOSH REL
		С	0.02 ppm 0.2 mg/m3	OSHA

Components with workplace control parameters

Personal protective equipment

Respiratory protection		e case of vapour formation use a respirator with an over a filter.
Hand protection Remarks	cono spec	e note of the information given by the producer cerning permeability and break through times, and of cial workplace conditions (mechanical strain, duration of act).
Eye protection	Wea	tly fitting safety goggles Ir face-shield and protective suit for abnormal processing lems.
Skin and body protection	Cho	ervious clothing ose body protection according to the amount and centration of the dangerous substance at the work place.
Hygiene measures	prac Whe Whe Was	en using do not eat or drink. en using do not smoke. In hands before breaks and at the end of workday. ten instructions for handling must be available at the work



JM Corbond® Side A

Version 1.1

Revision Date 03/04/2015

Print Date 03/13/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: red brown
Odour	: musty
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
	: > 300 °C
Flash point	: 230 ℃ Method: open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: 8.5
Relative density	: 1.25
Solubility(ies) Water solubility	: insoluble
Solubility in other solvents	: insoluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.



JM Corbond® Side A			
Version 1.1	Revision Date 03/04/2015	Print Date 03/13/2015	
Possibility of hazardous reactions	: No decomposition if stored and a	applied as directed.	
Conditions to avoid	: No data available		
Hazardous decomposition products	: Carbon monoxide, carbon dioxid hydrocarbons (smoke). Nitrogen oxides (NOx)	e and unburned	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute inhalation toxicity	: Acute toxicity estimate : 11 mg/l
	Exposure time: 4 h
	Test atmosphere: vapour
	Method: Calculation method

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Product:

Remarks: May cause sensitisation of susceptible persons by skin contact or by inhalation of aerosol or dust.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



JM Corbond® Side A

Version 1.1

Revision Date 03/04/2015

Print Date 03/13/2015

STOT - single exposure

Product:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Product:

Assessment: May cause damage to organs through prolonged or repeated exposure.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity No data available	
Persistence and degradability No data available	
Bioaccumulative potential No data available	
Mobility in soil No data available	
Other adverse effects No data available	
Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological : information	No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal of residual product	: Do not dispose of waste into sewer.
	Do not contaminate ponds, waterways or ditches with
	chemical or used container.
	Send to a licensed waste management company.



JM Corbond® Side A			
Version 1.1	Revision Date 03/04/2015	Print Date 03/13/2015	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.		

SECTION 14. TRANSPORT INFORMATION

International transport regulations

These products are not classified as dangerous goods according to international transport regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4'-methylenediphenyl diisocyanate	101-68-8	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	No SARA Hazards		
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:		
	4,4'-methylenediphenyl 101-68-8 diisocyanate	50 %	
	Diphenylmethanediisocyan 9016-87-9 ate	50 %	

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

4,4'-methylenediphenyl101-68-850 %diisocyanate50 %This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) forAccidental Release Prevention (40 CFR 68.130, Subpart F).The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMIIntermediate or Final VOC's (40 CFR 60.489):4,4'-methylenediphenyl101-68-850 %diisocyanate

Massachusetts Right To Know

4,4'-methylenediphenyl diisocyanate	101-68-8	50 - 70 %
-------------------------------------	----------	-----------



JM Corbond® Side A				
Version 1.1	Revision Date	9 03/04/2015	Print Date 03/13/2015	
Pennsylvania	a Right To Know			
	4,4'-methylenediphenyl diisocya Diphenylmethanediisocyanate	nate 101-68-8 9016-87		
New Jersey F	Right To Know			
	4,4'-methylenediphenyl diisocya Diphenylmethanediisocyanate	nate 101-68-8 9016-87		
California Pro	California Prop 65 This product does no of California to cause reproductive harm.		emicals known to State fects, or any other	
The components of this product are reported in the following inventories:				
TSCA	: On TSCA Inve	entory		
DSL	: All component	s of this product are on	the Canadian DSL.	
REACH	: Not in complia	nce with the inventory		
	: 4,4'-methylene	ediphenyl diisocyanate		
	: Diphenylmetha	anediisocyanate		
AICS	: On the inventor	ory, or in compliance wi	th the inventory	
CH INV	: The formulation Inventory	n contains substances	listed on the Swiss	
	: Diphenylmeth	anediisocyanate		
	: 4,4'-methylene	ediphenyl diisocyanate		
ENCS	: Not in complia	nce with the inventory		
	: Diphenylmeth	anediisocyanate		
IECSC	: On the inventor	ory, or in compliance wi	th the inventory	
ISHL	: Not in complia	nce with the inventory		
	: Diphenylmeth	anediisocyanate		
KECI	: On the inventor	ory, or in compliance wi	th the inventory	
NZIoC	: On the inventor	ory, or in compliance wi	th the inventory	
PICCS	: On the inventor	ory, or in compliance wit	th the inventory	

SECTION 16. OTHER INFORMATION

Further information	
Revision Date	: 03/04/2015



JM Corbond® Side A

Version 1.1

Revision Date 03/04/2015

Print Date 03/13/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.