



Johns Manville

4704 - 58th Street, Innisfail, Alberta T4G 1A2

Design Density: **0.85 pcf**
13.6 kg/cu.m

Fiber Glass Blowing Wool Rich-R

Blowing Wool Insulation Attic Coverage

Thermal Resistivity:

Nominal Net Contents **33.6 lbs**
15.2 kg

Type 5 Insulation Material
Conforms to CAN/ULC-S702-97

2.7 R/in
18.7 m-K/W

To obtain the thermal resistance (R-value) shown on the chart, this material must be installed at both the thickness and mass (number of bags) per unit of area equal to or greater than the minimum value specified.

Thermal Resistance		Bags Per Unit Area		Minimum Thickness		Maximum Net Coverage		Minimum Weight	
To obtain an installed thermal resistance of:		The number of bags per 1000 ft ² /100m ² of net area shall not be less than:		Installed insulation shall not be less than:		Contents of this bag shall not cover more than:		The weight per m ² /ft ² of installed insulation shall not be less than:	
RSI	R	100m ²	1000ft ²	mm	inches	m ²	ft ²	kg/m ²	lb/ft ²
1.4	8.0	6.7	6.3	75	3.0	14.85	159.9	1.02	0.21
1.6	10.0	8.4	7.8	94	3.7	11.88	127.9	1.28	0.26
2.1	12.0	10.1	9.4	113	4.4	9.90	106.6	1.54	0.31
2.5	14.0	11.8	10.9	132	5.2	8.49	91.4	1.79	0.37
2.8	16.0	13.5	12.5	151	5.9	7.43	79.9	2.05	0.42
3.5	20.0	16.8	15.6	188	7.4	5.94	63.9	2.56	0.52
4.2	24.0	20.2	18.8	226	8.9	4.95	53.3	3.07	0.63
4.9	28.0	23.6	21.9	263	10.4	4.24	45.7	3.59	0.73
5.6	32.0	26.9	25.0	301	11.9	3.71	40.0	4.10	0.84
6.0	34.0	28.6	26.6	320	12.6	3.49	37.6	4.35	0.89
6.3	36.0	30.3	28.1	339	13.3	3.30	35.5	4.61	0.94
7.0	40.0	33.7	31.3	376	14.8	2.97	32.0	5.12	1.05
7.7	44.0	37.0	34.4	414	16.3	2.70	29.1	5.63	1.15
8.8	50.0	42.1	39.1	470	18.5	2.38	25.6	6.40	1.31
10.6	60.0	50.5	46.9	564	22.2	1.98	21.3	7.68	1.57

CAUTION: Maintain building, electrical, gas and oil safety code required clearances between the insulation and heat emitting devices, such as fuel burning appliances, chimneys, pipes, ducts and vents to these appliances (at least 50 mm (2 in.)) and recessed light fixtures (at least 75 mm (3 in.)).


CERTIFICATE OF COVERAGE

THIS CERTIFICATE OF COVERAGE MUST BE LEGIBLY COMPLETED AND SIGNED BY THE APPLICATOR TO VERIFY THAT THE INSULATION HAS BEEN INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS STATED BY THE MANUFACTURER.

Thermal Resistance of the Applied Insulation: _____ Applied Thickness (mm/inch): _____ Number of Bags Installed: _____

Area to be Insulated (m²/ft²): _____ Net Bag Content: _____ Date Installed: _____

Calculated Number of Bags Required: _____ Applicator's Company Name and Address: _____



Johns Manville Canada Inc.

4704 - 58th St. Innisfail, Alberta, T4G 1A2
Phone (403) 227-7100 Fax (403) 227-7112
Toll Free: 1-800-662-7128 1-800-661-1036
1-800-661-9553 1-800-272-9067
Internet : <http://www.jm.com>

Installer's Name: _____

Installer's Signature: _____